

Product code: CAP

Contrak Aluminium Pallet » Purchase » Hire » Lease

Features

- » Australian Standard Size or custom sizes available
- » Lightweight, reduce work place injury
- » Reduce transportation costs
- » Strong & impact resistant
- » 100 % food grade standard
- » Chemical resistant – nothing absorbed
- » Hot water or steam wash
- » Reduce product damage
- » No Nails, Splinters, Broken Boards or Flaking Paint
- » Welded and sealed no gaps – resistant to bacteria
- » High quality, high workmanship standard
- » Buy outright or lease to own

Product Specifications

External:	1162mm	1162mm	130mm
Weight:	17kg (static)		
Racking:	1000kg		
Use:	Food, Pharmaceutical, general Industry		

For further information


0400 328 596 or 0414 707 935

www.contrak.com.au


Sales@contrak.com.au

12 Oborn Road Mt Barker SA 5251

Contrak Pty Ltd ABN 44 105 341 688



**Sustainable Supply
Chain Solutions**



Product code: CP2/3

Contrak Australian 2/3 Plastic Pallet » Purchase » Hire » Lease

Features

- » High impact Resistant Construction
- » 2/3rds, Australian Pallet size
- » Patented insert technology
- » Slip Resistant Rubber Grommets
- » Suitable for use in Temperature Extremes
- » Registered Design
- » Standard Grey or custom colours
- » Minimal maintenance required
- » Impact resistant
- » Resistant to bacteria
- » 4 way entry – Heavy Duty 2/3rds Australian footprint

Product Specifications

Size:	1165mm 775mm 150mm
Weight:	19.70kg
Raw material:	Polypropylene co-polymer
Manufacture:	Injection moulded
Colour:	Grey
Dynamic:	1000kg
Static:	10000KG
Selective beam racking:	1000kg
Drive in racking:	900kg
Chemical Resistance:	Very High chemical resistance to acids and alkaline

For further information

0400 328 596 or 0414 707 935

www.contrak.com.au


Sales@contrak.com.au

12 Oborn Road Mt Barker SA 5251

Contrak Pty Ltd ABN 44 105 341 688



**Sustainable Supply
Chain Solutions**



Product code: APPI165

Contrak Australian Heavy Duty Pallet » Purchase » Hire » Lease

Features

- » Australian Standard (1165 x 1165 x 150mm)
- » Light weight and durable
- » Flat deck – 4 way entry
- » Slip resistant top deck strip options
- » Consistent dimensions and weight
- » Pallet Jack compatible
- » Lighter weight
- » Non-porous material-hygienic and easier to clean
- » No nails or splinters
- » Minimal maintenance required
- » Impact resistant
- » Resistant to bacteria

Product Specifications

Type:	Flat Deck – 4 way entry
Size:	1165 x 1165 x 150 mm (+/- 5mm)
Weight:	33KG
Material:	High density Polyethylene
Manufacture:	Injection moulded
Colour:	Black (custom colours available)
Load Specifications:	2000kg – Selective beam racking
Drive in racking :	1000kg – (include temp limitations)
Static load:	10000kg
Recyclable:	100%
Entry Points:	4 way entry
Cleanability:	Easier to clean top and bottom surfaces
Application:	Food, Pharmaceuticals, General Industrial
Chem. Resistance:	Very high chemical resistance against acids and alkalis



Sustainable Supply Chain Solutions

For further information

0400 328 596 or 0414 707 935

www.contrak.com.au

Sales@contrak.com.au

12 Oborn Road Mt Barker SA 5251

Contrak Pty Ltd ABN 44 105 341 688



Product code: CRB
Wheels: CRBW
Lids: CRB-lid

Contrak Retail & Warehouse Display Bins » Purchase » Hire » Lease

Features

- » 4 sided gate openings that fold down
- » Bins fold down for storage and transport
- » Label holder available
- » Lids available
- » Available with lockable castors
- » Stackable
- » Versatile fixed or wheel base options.
- » Easy to access contents with 4-sided fold down gates.
- » Collapsible, allowing you to save space when not in use.
- » Vented or non-vented
- » Collapsible Warehouse or Delivery containers
- » With or without wheels
- » With or without Lid

Product Specifications

Outer Size:	80cm	60cm	93cm
Inner Size:	74cm	54cm	64cm
Volume:	250 Ltr		
Weight:	20 kg		

For further information

0400 328 596 or 0414 707 935

www.contrak.com.au

Sales@contrak.com.au

12 Oborn Road Mt Barker SA 5251

Contrak Pty Ltd ABN 44 105 341 688



**Sustainable Supply
Chain Solutions**



Product code 22L: GEN3-22L

Product code 34L: GEN3-34L

Product code 48L: GEN3-48L

Contrak Produce Folding Crates » Purchase » Hire » Lease

Features

- » Standard Australian Footprint
- » Six crates per layer folding down to 32.75mm
- » Fully vented design
- » Smooth inner walls
- » Ability to cross and column stack
- » Can be used on automated crate-erecting equipment
- » Three size options
- » Company Logo and Company colours (Company colours on a minimum purchase)
- » Easy assembly and disassembly
- » OH&S handling efficiencies
- » Food grade Polypropylene

Product Specifications

Folded RPC (mm):	577 x 385 x 31.25
Materials:	Food grade Polypropylene
Operating Temperature :	-10°C to +50°C
Operating Conditions:	0°C to +40°C

Capacity	22L	34L	48L
Open External RPC(mm):	577 x 385 x 120	577 x 385 x 177	577 x 385 x 245
Internal RPC:	559 x 360 x 111	559 x 360 x 171	559 x 360 x 239
Repeating H Open RPC(mm):	113.75	170.75	238.73
Weight (+/- 3%)(kg):	1.200	1.580	1.890

For further information

0400 328 596 or 0414 707 935

www.contrak.com.au

Sales@contrak.com.au

12 Oborn Road Mt Barker SA 5251

Contrak Pty Ltd ABN 44 105 341 688



Sustainable Supply Chain Solutions



Product code: HFB-V

Contrak Folding Half Bin – Vented – Non Vented » Purchase » Hire » Lease

Features

- » Standard Australian Footprint
- » Internal rounded air vents
- » Free air flowing vented base for quick chilling
- » 2-way entry
- » Racking locators
- » Drain holes
- » Food grade quality
- » UV stabilized
- » Company logo printed
- » Dust cover lid available
- » Vented and non-vented models
- » 2:1 Fold down ratio
- » Increase transport efficiency

Product Specifications

External:	1162mm	1162mm	560mm
Internal:	1090mm	1080mm	400mm
Folded:	1162mm	1162mm	280mm
Stacking:	8 high less than 35°C, 20 high (folded)		
Weight:	44kg	Racking:	350kg
Carrying:	350kg	Static:	2800kg
Dynamic:	700kg	Volume:	470ltr
Suitable:	-20°C to +40°C		

For further information

0400 328 596 or 0414 707 935

www.contrak.com.au

Sales@contrak.com.au

12 Oborn Road Mt Barker SA 5251

Contrak Pty Ltd ABN 44 105 341 688



**Sustainable Supply
Chain Solutions**



Product code vented: CFBV
Product code non vented: CFBNV
Product code vented no gate: CFBV-NG

Contrak Folding Bin – Vented – Non Vented » Purchase » Hire » Lease

Features

- » Standard Australian Footprint
- » Front and rear gates
- » Food grade quality
- » Internal rounded air vents
- » Dust cover lid available
- » Available in your company colours
- » Company logo printed
- » Free air flowing vented base for quick chilling
- » UV stabilized
- » 2-way entry
- » Racking locators
- » Drain holes
- » 4 label holders
- » Vented and non-vented models

Product Specifications

External:	1162mm	1162mm	780mm
Internal:	1090mm	1080mm	635mm
Folded:	1162mm	1162mm	280mm
Stacking:	6 high less than 35°C, 18 high (folded)		

Weight:	52kg	Racking:	500kg
Carrying:	500kg	Static:	3000kg
Dynamic:	1000kg	Volume:	750ltr
Suitable:	-20°C to +40°C		

For further information

0400 328 596 or 0414 707 935

www.contrak.com.au

Sales@contrak.com.au

12 Oborn Road Mt Barker SA 5251

Contrak Pty Ltd ABN 44 105 341 688



**Sustainable Supply
 Chain Solutions**

» **Our Product of the Month:**
Contrak Plastic Folding Bin



- Vented or non Vented
- Standard Australian Footprint
- Front and rear gates
- Racking locators
- 100% Food Grade
- 3:1 Fold down ratio
- 500kg capacity
- Ship 9 high

» **Our Company**

- South Australian owned and operated established 2004
- 40 Years experience in designing material handling products for Australia and New Zealand
- Experienced in equipment packaging and pooling management
- Manufacturer of Australian standard size equipment specialising in plastic, steel, and aluminium.

» **Our Offer**

- Reusable supply chain packaging – reuse, return, refill
- Purchase outright or Daily Lease Options available
- Turnkey product development
- Made to custom specification
- Local & global fabrication

» **Our award winning company supplies industry with high quality materials handling equipment.**

» **Return**
» **Reuse** » **Refill**

**Sustainable
Supply Chain
Solutions**

» **Our Products**



Plastic range



Heavy duty
Collapsible



Bin & Lid



Folding bins



Stacked
aluminium pallets



Steel
folding cage



Stillage



1000L IBC



Aluminium



Custom made
trolleys



Roll cages

Bins

Folding

- » Weight: 53kg
- » Capacity: 500kg
- » Static weight: 3t (6 high)
- » Volume: 750lt
- » Height: 780mm or 560mm
- » (half bin) Fold ratio: 3:1
- » Vented or non-vented
- » Spare parts and lids available Australian



Liquid

- » Locking lid
- » Volume 1,000lt
- » Smooth internal walls
- » Weight 88.5kg
- » Stacked 4 high
- » Folded 5 high for transport



Crates – Australian Standard Size

Warehouse

- » Warehouse crate
- » 6 lt, 288 per pallet
- » 12.5 lt, 144 per pallet
- » 25 lt, 72 per pallet
- » 50 lt, 54 per pallet
- » Vented base
- » Colour choice
- » Branding available



Security

- » Warehouse crate
- » 6 lt, 288 per pallet
- » 12.5 lt, 144 per pallet
- » 25 lt, 72 per pallet
- » 50 lt, 54 per pallet
- » Vented base
- » Colour choice
- » Branding available



Produce


- » Collapsible
- » Food grade polypropylene
- » 22 lt, 120mm high
- » 34 lt, 177mm high
- » 48 lt, 245mm high
- » 252 crates per pallet
- » Folded height 31mm
- » Nested height 25mm



Pallets – Australian Standard Size


Aluminium

- » Aluminium
- » Weight: 18kg
- » 130mm high
- » Rack weight: 1t
- » Static weight: 3t



Plastic

- » Weight: 27kg
- » 150mm high
- » Rack weight: 1.2t
- » 100% recycled or virgin



Stillages & Cages

- » Designed and manufactured to customer specifications



Sustainable Supply
Chain Solutions

www.contrak.com.au For further information **0400 328 596** or **0414 707 935**
sales@contrak.com.au 12 Oborn Road Mt Barker SA 5251. Contrak Pty Ltd ABN 44 105 341 688

Combo Bins » Purchase » Hire » Lease



Liquid Container Features

- » Lid locks in place
- » 1400kg unit load
- » 1060L Volume
- » 4000kg stack load
- » 100% smooth internal walls
- » Compatible with automated handling
- » One man operation to fold
- » Bug and dirt proof
- » Transport 5 high when folded
- » Functional temperature -20 to +45 °C

Specifications

Dimensions:

Including lid (mm): 1155 x 1155 x 1132

Folded (mm): 1155 x 1155 x 467

Excluding lid (mm): 1145 x 1145 x 1110

Internal (mm): 1065 x 1065 x 940

Stacked (unfolded): 2 high: 2247, 5 high: 5593

Tare weight (kg): 88.5

Fielded height (mm): 322.5

Folding ratio: 72.8%



Product code: COMBO:1000L



**Sustainable Supply
Chain Solutions**

www.contrak.com.au For further information **0400 328 596** or **0414 707 935**
sales@contrak.com.au 12 Oborn Road Mt Barker SA 5251. Contrak Pty Ltd ABN 44 105 341 688

Bin Stacking Comparison » Purchase » Hire » Lease



Pallet / Bins

6 high for transport



Fixed wall bin

3 high for transport



Contrak Folding Bin

9 high for transport



Sustainable Supply
Chain Solutions

www.contrak.com.au For further information **0400 328 596** or **0414 707 935**
sales@contrak.com.au 12 Oborn Road Mt Barker SA 5251. Contrak Pty Ltd ABN 44 105 341 688

Contrak Partners » Purchase » Hire » Lease



Contrak partners with industry to design and manufacture materials handling solutions.

We supply to agriculture, horticulture, food processing, logistics, defence, hospitality, pharmaceuticals, mining and manufacturing.

Contrak's policy is to own equipment dies for the manufacture of plastic crates, folding bins, plastic pallets, vacuum formed trays and steel stillages which are used across a broad range of industries.

As Contrak owns the equipment dies and intellectual property, it enables us to manufacture at the most competitive rates for industry. All equipment moulded and manufactured by Contrak is to the Australian standard size, relating to the Australian Standard or customer specifications.



Sustainable Supply
Chain Solutions

www.contrak.com.au For further information **0400 328 596** or **0414 707 935**
sales@contrak.com.au 12 Oborn Road Mt Barker SA 5251. Contrak Pty Ltd ABN 44 105 341 688