

Yealink's Core Offerings for Microsoft Teams

Yealink offers a full portfolio audio and video devices solution for Microsoft Teams that allows different professionals to work the way they love in meeting rooms, in-the-office, and on-the-go, as well as working remotely. The Teams-tailored experience helps the joint customers realize the vision of Intelligent Communication backed by a top tier one-stop UC endpoint solution provider.



One-stop Teams voice and video solutions to reduce the costs of procurement & support/services



True Teams 'best of breed' with consistent Teams experience to drive user adoption



Easy Deployment & Remote Management

Tenant admins can manage the devices via Yealink Device Management Platform



Global Coverage & Support Services

Professional support and post-sales services for worldwide customers









Full Portfolio Video Devices for Microsoft Teams



Yealink offers a full portfolio video devices solution for Microsoft Teams, covering from huddle to extra-large meeting spaces, including Microsoft Teams Rooms (MTR) on Android, Microsoft Teams Rooms on Windows, and video phone. To meet different requirements of customers, Yealink not only provides the MeetingBar A10, A20 and A30 for huddle, small and medium spaces, but also provides the MVC940 and MVC960 room system that can meet the needs of extra-large rooms covering up to 30 users.

With Yealink video solution, users can enjoy the premium video and audio experience, easy deployment and remote management via Yealink Device Management Platform, all of these bring the consistent and seamless Teams experience to every space.

Microsoft Teams Rooms on Android



MeetingBar A10 for standard small rooms



All-in-one MeetingBar designed for small spaces



20° field of view, 4K camera, Al-powered video features



(1)) Full-duplex audio and Al-enhanced Noise Cancellation



Support plug-and-share wireless presentation with WPP30



Quick setup and easy to manage



MeetingBar A20 for premium small rooms



All-in-one MeetingBar for smart Teams collaboration



20° field of view, 20MP, Al-powered camera



(1)) Full-duplex audio, Noise Cancellation and Acoustic Shield



Support plug-and-share wireless presentation with WPP30



Quick setup and easy to manage



MeetingBar A30 for medium rooms



All-in-one MeetingBar with smart Al features



O Dual-camera system for large views



(1) HD full-duplex audio and great pickup range



Support plug-and-share wireless presentation with WPP30



Plug-and-play setup and easy management

Microsoft Teams Video Phone



VP59 Teams Video Phone for executive desk and huddle rooms



Start Teams meeting easily with standalone Teams video



Compatible with superb audio & video devices



Quick setup within 4 steps of cable connection

Specifications

MeetingBar A10

MeetingBar A10 Package

- · MeetingBar A10
- · 3 m Ethernet cable
- · 1.8 m HDMI cable
- · Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide

Camera

- · 4K Camera
- · 120° FoV
- · 4x e-PTZ camera
- · Electric privacy shutter
- · Al Feature
- Auto Framing
- Speaker Tracking

Audio

- · Built-in microphone array
- · Built-in high fidelity speaker
- · Al Noise Cancellation Algorithm
- · Full-duplex
- · Echo cancellation

Meeting Features

- · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing
- · Meeting control:
- Add participates
- Hold/Resume
- Camera On/Off

- Mute/Unmute
- Volume Up/Down - Hang

MeetingBar A20

A20 -Teams Package

- · MeetingBar A20
- · 3m Ethernet cable
- · 1.8m HDMI cable *2
- · Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide

Camera

- · 20MP Camera
- · 120° field of view
- · 8x e-PTZ camera
- · Electric privacy
- shutter · Al Feature
- Auto Framing
- Speaker Tracking
- Multi-focus Framing
- Picture-in-picture

Audio

- · Built-in 8 MEMS microphone array
- · Extended mic for small-to-medium rooms
- · Built-in 5W high fidelity speaker
- · Al Noise Cancellation Technology
- · Beamforming directed voice pickup technology
- · Full-deplex
- · Echo cancellation
- · Acoustic shield · Video fence

Meeting Features

- · Calendar
- · One-click join
- · Proximity join PSTN dial-in
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control:
- Add participates
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up

MeetingBar A30

A30 -Teams Package

- · MeetingBar A30 · 3m Ethernet cable
- · 2 x 1.8m HDMl cable
- · Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide
- · Controller (optional):
- CTP18 Touch Panel
- VCR20 Remote Control
- · Content sharing (optional):
- VCH51 Sharing Kit (HDMI/USB-C)
- WPP20 Wireless Presentation Pod

Dual Camera System Wide Camera:

- · 8MP Camera
- · Field of view: 120°
- · 4x e-PTZ Camera

Telephoto Camera:

- · 8MP Camera
- · Field of view: 90°
- · 10x Hybrid Zoom (3.5x optical, 3x digital)
- · Horizontal Rotation
- Angle: +25°/-25°
- · Vertically Rotation Angle: +16°/-16°
- · Electric Privacy Shutter
- Intelligence Features
- Auto Framing
- Speaker Tracking

Audio

- · Built-in 8 MEMS
- microphone array
- · Support extention mic · Two Built-in 5W high fidelity speakers
- · Yealink Noise Proof
- Technology · Beamforming directed voice pickup technology
- · Full-duplex
- · Echo cancellation
- · Acoustic shield
- · Video fence

Meeting Features

- · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control
- Add participates - Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up - Microsoft DM
- Proximity join

- · 8 inch (1280 x 800) capacitive
- · Optimal HD audio, support Yealink Noise Proof technology
- speakerphone with AEC
- · Microsoft Teams-tailored user interface
- Unify Square device management platform
- · 2 mega-pixel HD camera with privacyshutter
- · Built-in Bluetooth 4.2
- Built-in dual band 2.4G/5G Wi-Fi
- · USB 2.0 port
- · Dual-port Gigabit Ethernet, PoE support

VP59 Teams Edition

- adjustable touch screen
- · HDMI for connection to monitor or TV Based on Android 9.0

· Support Microsoft/Yealink/

Microsoft Teams Rooms System on Windows

Complete Bundle Solution

The Yealink MVC series is a bundle video solution for Microsoft Teams Rooms (MTR) that includes everything you need to interact, connect, and collaborate with internal and external users seamlessly and intelligently, covering every scenario from small to extra-large spaces.



Consistent Teams Experience

- · Easy to Use
- · One-touch to join



Wireless Content Sharing

 One tap to share content wirelessly with WPP20



Simplified Cabling System

- · Shorten deployment time
- · For all MVC room systems

Tailored Voice and Video Experience for Diverse Meeting Rooms



MVC320 for focus and small rooms (2-6 users)



UVC30

4K camera, 120°FoV, Auto Framing



MSpeech

HD voice, full-duplex, 10ft/6 meter pickup range





MVC400 for huddle and small rooms (2-7 users)

UVC40 All-in-One USB Video Bar Al features: Auto Framing & Speaker

Tracking 20MP, 120° FoV



noise proof, full-duplex, built-in 8 MEMS microphone





MVC640 for medium rooms (7-11 users)



UVC84

4K camera, 12x optical zoom, Auto Framing



MSpeech

HD voice, full-duplex, 10ft/6 meter pickup range





MVC640-Wireless for medium rooms (7-11 users)



UVC84

4K camera, 12x optical zoom, Auto Framing



VCM36

360° 20 feet voice pickup range, flexibility in placement without any wiring troubles.





MVC840 for medium and large rooms (12-18 users)



UVC84

4K camera, 12x optical zoom, Auto Framing



VCM34

360° 20 feet voice pickup range, cascade connection for up to 6 units





MVC940 for extra-large rooms (>18 users)



UVC84

4K camera, 12x optical zoom, multi-camera solution with AVHub (up to 9 cameras)



Flexible Audio Options

work with Yealink VCM34 microphone, VCM38 ceiling microphone with MSpeaker II





MVC660 for medium rooms (7-11 users)

UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking



MSpeech

HD voice, full-duplex, 10ft/6 meter pickup range





MVC860 for medium and large rooms (12-18 users)



UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking



Flexible Audio Options

work with Yealink VCM34 microphone, VCM38 ceiling microphone and the CPW90 wireless microphone with MSpeaker II





MVC960 for extra-large rooms (>18 users)



UVC86

Dual-eye 4K intelligent tracking camera,12x optical zoom, Auto Framing,
SpeakerTracking and Presenter Tracking,

Solution with AVHub (up to 9 cameras)



Flexible Audio Options work with Yealink VCM34 microphone, VCM38 ceiling microphone with MSpeaker II



Yealink MVC Series Teams Room System Specification Module MVC940 MVC860 MVC840 Target Room Size Extra large rooms Extra large rooms Large rooms Large rooms Mini-PC Yealink MCore Pro Touch Console & Sharing Device Yealink MTouch II AVHub 2x Yealink UVC86 AVHub 2x Yealink UVC84 Yealink UVC86 Dual-Eye Yealink UVC84 4K 12X USB Camera Dual-Eye Intelligent Camera 4k 12X optical PT7 camera optical PT7 camera Intelligent Camera Components VCM34 array mic/CPW90 2x VCM34 array mics + Yealink soundbar 3x VCM34 array mics + 2x Yealink soundbar Audio wireless mic/VCM38 ceiling mic + Yealink soundbar Flexible options Flexible options Wireless Presentation 2x WPP20 2x WPP20 WPP20 (Optional) Optional Optional Optional Optional MVC-BYOD-Extender 11th-gen Intel i5 quad-core chipset Memory 8GB (2*4GB) Storage 128GB SSD Video Output 3x HDMI, CEC supported MCore Pro LISB 4x USB3.0 Wi-Fi Bluetooth Yealink VCH Port Cable Management Screen Size 8 inches IPS screen Screen Resolution 1280 x 800 Adjustable 28° ~ 50° Bracket Human Motion Sensor 3.5mm Audio Port MTouch II USB-A Port 1x USB-A Port, connect to USB audio device if necessary 1080P / 30FPS Content Sharing Resolution / Frame Rate Video Input interface for Content Sharing HDMI & USB-C Built-in Wi-Fi AP for Content Sharing Wireless Content Sharing Work with Yealink WPP20 wireless presentation pod UVC Protocol UVC 1.0 UVC 1.0 UVC 1.0 UVC 1.0 Zoom 12X optical 12X optical 20XHDzoom(12Xoptical, 1.7X digital) 12X optical Resolution / Frame Rate 4K / 30FPS 4K / 30FPS 4K / 30FPS 4K / 30FPS Field of View(diagonal) 90° 80° 90° 80° Pan/Tilt range 2009/1309 2009/1309 2009/1309 2009/1309 Auto Framing Camera Speaker Tracking Features Presenter Tracking 1x VCH port (RJ45) for mic 1x VCH port (RJ45) for mic 1x Yealink VCH port (RJ45) + 1x VCH port (RJ45) for mic and and speaker 1x Line-in port and speaker 1x Line-out port 1x Line-in port speaker 1x Line-out port Audio Ports for audio reference AC 100~240V Input and DC 48V/0.7A Output AC 100~240V Input and AC 100~240V Input and AC 100~240V Input and Power Adapter DC 48V/0.7A Output DC 48V/0.7A Output DC 48V/0.7A Output Support camera layout including Support camera layout including Camera Lavout full screen, surrond, division full screen, surrond, division Maximum number of cameras Up to 9 Up to 9 NΑ NA AVHub 7x VCH port (RJ45) for mic, speaker 7x VCH port (RJ45) for mic, speaker or camera 1x RCA-in port, 1x RCA-out port 1x 6.3mm Line-in or camera 1x RCA-in port, 1x RCA-out port 1x 6.3mm Line-in Audio Ports Port, 1x 6.3mm Line-out port Port, 1x 6.3mm Line-out port 100 Hz - 20K Hz 100 Hz - 20K Hz Frequent Response 100 Hz - 20K Hz 100 Hz - 20K Hz 10W 10W 10W 10W Speaker 1 00% THD 1.00% 1.00% 1.00% Up to 4 Maximum Speakers Up to 4 Up to 4 Up to 4 Support VCM34 tabletop or Support VCM34 tabletop or 2~6 VCM34 array mics 2~3 VCM34 array mics VCM38 ceiling mics VCM38 ceiling mics Audio Built-in 3-mic array for VCM34 Built-in 3-mic array for VCM34 2~8 VCM38 ceiling mics Built-in 3-mic array Features Built-in 8-mic array for VCM38 Built-in 8-mic array for VCM38 Microphone 360° voice pickup 360° voice pickup 2~4 CPW90 wireless mics 20ft (6-meter) voice pickup range Cascade connection up to 6 units Cascade connection up to 6 units NA Cascade connection up to 6 units for VCM34 Cascade connection | for VCM34 Cascade connection up to 8 units for VCM38 up to 8 units for VCM38 Compatible with 3rd party DSP 3rd Party DSP System Compatibility System including Shure, Biamp, etc Operating System Windows 10 IoT Enterprise OS & License Microsoft Teams Rooms App Preload Yealink RoomConnect Device Management Agent Windows Update Yealink Device Management Device Platform/Cloud Service Management Microsoft SCCM Microsoft Intune

Yealink MVC Series Teams Room System Specification MVC660 Module MVC640-Wireless MVC640 MVC400 MVC320 Target Room Size Medium rooms Medium rooms Medium rooms Small rooms Focus rooms Mini-PC Yealink MCore Pro Touch Console & Sharing Device Yealink MTouch II Yealink UVC86 Dual-Eye Yealink UVC84 4K 12X Yealink UVC84 4K 12X Yealink LIVC40 Yealink UVC30 Room USB Camera optical PTZ camera optical PTZ camera all-in-one USB video bar Intelligent Camera 4K camera Components Yealink MSpeech tabletop 1xVCM36 wireless mic + Yealink MSpeech Yealink MSpeech tabletop Audio speakerphone Yealink soundbar tabletop speakerphone speakerphone Wireless Presentation WPP20 (Optional) WPP20 (Optional) Optional Optional Optional MVC-BYOD-Extender NA Optional Optional NA 11th-gen Intel i5 quad-core chipset CPU Memory 8GB (2*4GB) 128GB SSD Storage Video Output 3x HDMI, CEC supported MCore Pro USB 4x USB3.0 Wi-Fi Bluetooth Yealink VCH Port Cable Management 8 inches IPS screen Screen Size 1280 x 800 Screen Resolution Adjustable 28° ~ 50° Bracket Human Motion Sensor 3.5mm Audio Port MTouch II 1x USB-A Port, connect to USB audio device if necessary 1080P / 30FPS Content Sharing Resolution / Frame Rate Video Input interface for Content Sharing HDMI & USB-C Built-in Wi-Fi AP for Content Sharing Wireless Content Sharing Work with Yealink WPP20 wireless presentation pod UVC Protocol UVC 1.0 UVC 1.0 UVC 1.0 UVC 1.0 UVC 1.0 20X HD zoom 36X HD zoom 12X optical 8X digital 3X digital Zoom (12X optical, 1.7 digital) (12X optical, 3X digital) Resolution / Frame Rate 4K / 30FPS Field of View(diagonal) 900 80° 809 133° 120° Pan/Tilt range 200°/130° 200°/130° 200°/130° E-PTZ E-PTZ Camera Auto Framing Features Speaker Tracking Presenter Tracking 1x Yealink VCH port 1x Yealink VCH port 1x VCH port (RJ45) for mic 1x VCH port (RJ45) for mic NΑ Audio Ports (RJ45) + 1x Line-in port (RJ45) + 1x Line-out port and speaker 1x Line-out port 1x Line-in port AC 100~240V Input and AC 100~240V Input and AC 100~240V Input and AC 100~240V Input and Power Adapter NA DC 48V/0.7A Output DC 48V/0.7A Output DC 48V/0.7A Output DC 48V/0.7A Output Camera Layout AVHub Maximum number of cameras NA NA NΑ NΑ NΑ Audio Ports Speaker Frequent Response 100 Hz - 20K Hz 100 Hz - 20K Hz 100 Hz **-** 20K Hz 100 Hz **-** 20K Hz 115 Hz **-**16 KHz RMS 3W 10W 10W 3*N*/ 4W THD 1.00% 1.00% 1.00% 1.00% 1.00% Maximum Speakers NA Up to 4 NA NΑ NΑ 1x MSpeech Speakerphone 1xVCM36 wireless mic 1x MSpeech Speakerphone 1x MSpeech Speakerphone Built-in microphone Built-in 10-mic array Built-in 3-mic array Built-in 3-mic array 8 MEMS mic array Built-in 10-mic array Audio 20ft (6-meter) voice 20ft (6-meter) voice 20ft (6-meter) voice Beamforming 20ft (6-meter) voice Features Microphone pickup range microphone technology pickup range pickup range pickup range NA NA NA NA Compatible with 3rd Compatible with 3rd Compatible with 3rd party DSP System including party DSP System including Shure, Biamp, etc Shure, Biamp, etc 3rd Party DSP System Compatibility party DSP System including NA NΑ Shure, Biamp, etc Operating System Windows 10 IoT Enterprise OS & License Microsoft Teams Rooms App Preload Yealink RoomConnect V Device Management Agent Windows Update Yealink Device Management Device 1/ Platform/Cloud Service Management Microsoft SCCM Microsoft Intune



Collaborative, Innovative, Effective

Microsoft Teams Rooms on Android

MeetingBoard

An innovative collaboration display for creative teamwork

- · All-in-one design that fits all meeting rooms
- · Smart collaboration whiteboard
- · Premium and intelligent video experience
- · Premium full-duplex audio experience





DeskVision A24

A desktop collaboration display for your instant workspace

- · UC Workstation Mode & Teams Mode
- · High quality microphone and stereo speakers
- · Full-HD video call
- · Qi wireless charger for mobile phone





MeetingBoard Specifications

Module




OS	OS	Android 10		
Chipset	SoC	QUALCOMM SNAPDRAGON 845		
	Size	65/85 inch		
	Backlight type	D-LED		
Disp l ay	Resolution	3840 x 2160		
	Ratio	16:9		
	Anti-Fingerprint	\checkmark		
	Anti-Glare	$\sqrt{}$		
	Resolution	3840*2160		
	Lens	8MP		
Built-in Camera	Field of view	120° diagonal field of view		
	Zoom	e-PTZ		
		4 x digital zoom		
	Privacy shutter	Automatic Hiding Shutter		
	Microphone	Built-in 16 MEMS beamforming microphones		
	Speaker	4 full range+2 tweeter stereo speakers		
Audio	RCA input/output	√ ·		
	Acoustic echo cancellation	· √		
	Reverberation suppression	\checkmark		
	Beamforming technology			
	LED lightstrips	√		
Buttons	Home button	√		
	Input source button	\checkmark		
	Volume up/down button	√		
	HDMI	1×HDMI output		
		1×HDMI input		
	CEC	√		
	PTZ camera port	√		
	VCH	1×Yealink VCH port (RJ-45)		
	USB	3 × USB Type A		
Connections	Ethernet port	1 x 10/100M/1000M Ethernet port		
	Wi-Fi	Wi-Fi6 2x2 MIMO dual-band		
	Bluetooth	Built-in Bluetooth 5.0		
	Security lock slot	√		
	Windows OPS slot	√		
	Reset slot	√		
	Motion sensor	· · · · · · · · · · · · · · · · · · ·		

DeskVision A24 Specifications

Module



Screen Specifications	Dimensions	23.8 inch		
	Resolution	1920 x 1080		
	Refresh Rate	60Hz		
	Color Depth	8 bit		
	Contrast Ratio	1000:1		
	Viewing angle	Horizontal: 178°		
		Pitch: 178°		
	Multi-touch	10 points		
Camera Specifications	Camera FOV	90°		
	Video Specifications	Up to 1080p30 Video Ca ll		
	Privacy protection	Automatically lifted or manually controlled lift		
Audio Specifications	Microphone Type	Built-in microphone array		
	Intelligent noise cancellation technology	\checkmark		
	Speaker	Built-in Stereo Speaker		
Application Mode	Dual Mode	Built-in Android + Monitor Mode		
	Android System	supports 2.4G / 5G dual-mode Wi-Fi Support Bluetooth 4.2		
	HDMI in	1		
Application Mode	USB-C	1x USB-C 3.0 upstream,DP-IN, provide PD up to 45w		
		1x USB-C 3.0 downstream interfaces for connecting peripherals,		
		Only supports the use of PCs connected to the USB-C upstream interface		
Physical interface	USB-A	2x USB-A 3.0 downstream interfaces for connecting peripherals,		
		as extra USB ports for the PC connected		
		1x USB-A 2.0 downstream interface, used to connect to headphones		
	Power	DC 19V		
	Wireless Charging	Support wireless charging for mobile phone		
	Button	Power, Volume, Mute, Camera on/off, Switch mode, Teams button		



THE FIRST Teams Certified Phone

The first Microsoft Teams certified desk phone in the industry, delivering Microsoft Teams experience to all desktop devices seamlessly.

THE FIRST Teams Certified Phone Series

The first stable and featured Teams certified desk phone series covering entry- to executive-level, supporting firmware upgradability of applications between Teams and SfB.

THE FIRST One-stop Solution Provider

The first provider of one-stop Microsoft Teams certified audio devices, covering scenarios of offices, open work space, huddle rooms and large conference rooms.

A Whole Series of Voice Device Solutions Covering Multiple Scenarios

Personal devices

Shared devices





















Desk phone

Speakerphone

Conference phone



- · Optimal HD audio, Yealink Noise Proof Technology
- · Full-duplex hands-free speakerphone with AEC



- · Embedded native Teams-tailored user interface
- · Consistent Teams calling and meeting experience



Simplified Deployment and Management

Deployment flexibility with multiple choices of deployment tools from Microsoft, Yealink and Unify square as well as auto-provision

Desk Phone



Yealink MP50 Microsoft Teams certified plug-and-play USB phone for daily desktop and hot-desking



touch Screen



Audio





USB Hub Bluetooth







Yealink MP54 Cost-effective Microsoft Teams phone for common areas and workers of co-working spaces



9.0 OS





touch Screen Audio





Button









Yealink MP56 Mid-level Microsoft Teams phone for office workers

HD



9.0 OS



touch Screen



Audio



Button



Built-in Wi-Fi & Bluetooth





Yealink MP58/MP58-WH Premium Microsoft Teams phone for executives and professionals



Android 7-inch Multi-9.0 OS touch Screen



Audio



Teams

Button





Built-in Wi-Fi & Support Bluetooth Bluetooth Handset (MP58-WH)



Conference Phone



Yealink CP965 Best-in-class conference phone for Microsoft Teams

Built-in

Bluetooth



5-inch Multitouch Screen







^{*}Some desk phone models are certified by Skype of Business, please contact our sales for details.

Features Model	MP58/MP58-WH	MP56	MP54	MP50	CP965
General features					
Operating System	Android 9.0	Android 9.0	Android 9.0	Linux	Android 11
Display	7"1024 x 600-pixel capacitive touch screen	7"800 x 480-pixel capacitive touch screen	4"480 x 800-pixel capacitive touch screen	7"1024 x 600-pixel capacitive touch screen	5" 720x1280 capacitive touch screen
Adjustable Screen	√	√	√	√	X
Backlight	√	√	√	√	√
Feature keys	7(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(Teams, headset, mute, speaker phone)	4(Teams, headset, mute, speaker phone)	3 (Home Mute Volume)
Volume control keys	√	√	√	√	√
Message Waiting Indicator (MWI)	√	√	√	√	X
Multiple languages	√	√	√	√	√
Dedicated Teams Button	√	√	√	√	X
Wall mount	√	√	√	√	X
Audio features					
HD voice	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	Optimal HD audio Full duplex technology
AEC (Acoustic echo cancellation)	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC
VAD (Voice activity detection)	√	√	√	\checkmark	√
CNG (Comfort noise generator)	√	√	√	$\sqrt{}$	√
AJB (Adaptive jitter buffer)	√	√	\checkmark	$\sqrt{}$	√
PLC (Packet loss concealment)	√	√	\checkmark	\checkmark	√
AGC (Automatic gain control)/ NS (Noise Suppression)	√	√	√	√	√
Advanced features					
Built-in Bluetooth	4.2+ EDR	4.2+ EDR	x (Supported via Dongle BT41)	4.2+ EDR	4.2+ EDR
Built-in Wi-Fi	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	x (Supported via Dongle WF50)	X	2.4G/5G Wi-Fi (802 <u>.</u> 11a/b/g/n/ac)
Teams/SIP Hybrid Mode	√	√	√	X	√
Expansion Module support	EXP50	EXP50	X	X	X
Bluetooth Handset support	√(MP58-WH)	Х	Х	X	X
Connectivity					
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dua l- port Gigabit Ethernet	NA	1 x RJ45 10/100M Ethernet ports
Power over Ethernet (PoE)	(IEEE 802.3af), class 3	(IEEE 802.3af), class 3	(IEEE 802.3af), class 3	NA	(IEEE 802.3af) , class 3
RJ9 handset port	√	√	\checkmark	\checkmark	X
RJ9 headset port	√	√	\checkmark	$\sqrt{}$	X
3.5 mm Jack	X	X	X	2.5 mm Jack for Busylight	X
USB A Port	2	1	1	3	2
Management					
Auto Provision by TFTP/FTP/HTTP/HTTPS/DHCP	V	√	\checkmark	NA	\checkmark
Yealink Redirection and Provisioning Service (RPS)	√	√	√	NA	√

Migration of Yealink Voice Devices from Skype for Business to Teams

√ Yealink Teams devices support the upgradability of firmware from Skype for Business to Teams. √ Hybrid-mode feature on Teams devices provides an integrated experience of Teams and SIP App.





A Whole Series of USB Peripherals Solutions Covering Multiple Scenarios

The Yealink one-stop portfolio makes it easier for customers to select the solutions they need and to collaborate with devices from a single vendor.

Voice Video





















USB Peripherals

Headset



UH34 & UH34 Lite Dual/Mono Essential USB Wired Headset





Exce**ll**ent audio performance







UH36 Dual/Mono Premium USB Wired Headset



Native integration

Excellent audio





UH37 Dual/Mono Professional USB Wired Headset



Dual Noise-Canceling Excellent audio performance wearing comfort Busylight integration









UH38 Dual/Mono **USB Wired Headset Master**



Microphones

Visible Busylight



Dual Devices



Battery

Call and Music





WH62 & 63 Portable **DECT Wireless Headset**



Plug-and







Multiple device





WH62 & WH63 Essential DECT Wireless Headset



네비만 Acoustic Optima audio



Four wearing







WH66 & WH67 UCWORKSTOTION Premium DECT Wireless Headset







All control

Customizable



BH71 Pro

Mono Bluetooth Wireless Headset for Hybrid Worker



4-mic Adjustable beamforming earhook for noise comfortable cance**ll**ation wearing



headset

Up to 10-hour talk time of



charging

case









BH71 Workstation UCWOrkstation

Adjustable

earhook for

comfortable

wearing

Mono Bluetooth Wireless Headset for Office Worker



4-mic beamforming cancel ation



talk time

Up to 10-hour

workstation



wireless

range

range









BH71 Workstation Pro UCWOrkstation

Mono Bluetooth Wireless Headset for Executive Hybrid Worker



4-mic beamforming noise cance**ll**ation



Extra 20-hour Adjustable earhook for talke time by comfortable charging wearing



workstation



((y)) All-in-one UC Up to 250ft Connection to wireless Mobile/





Essential Bluetooth Wireless Headset



Retractable Hidden Microphone Noise-Canceling Boom Arm



Dual Microphones



UP to 35-hour Qi wireless Dual Visible ta**l**k time



charging



range

Busylight





BH76

Premium Bluetooth Wireless Headset



Qualcomm aptX*HD AptX-HD

Hidden Microphone audio codec cancellation Boom Arm



ta**l**k time



charging





busylight





Speakerphone



Medium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 4 people



Ease of connection







Good for huddle rooms





CP900

Premium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 6 people











High-quality connection

Ease of

Low learning

Good for



Camera



UVC20 Personal Desktop Webcam

Immediate brilliant video experience for personal desktop

Omni-direction Rotatable



-pixel





Mic





Built-in









UVC30 Desktop

4K USB Camera with Auto-Framing and Windows Hello Support















Auto-Framing 120° Fie**l**d of View

PTZ Control

Easy for setup & management





UVC34

All-in-One USB video bar for small and huddle rooms and work from home scenario















Al Face Wide-angle Electric Remote Device 8 Microphone Array & Framing Enhancement Lens Cap Management Lens Built-in Speaker



UVC40

All-in-One USB video bar for simple and smart video conferencing in small and huddle rooms



Framing



Tracking







Lens Cap Management





Remote Device 8 Microphone Array & Built-in Speaker





UVC84

4K PTZ Camera for medium and large room with perfect display

Camera





Zoom



Framing




Control





Scalability protection





UVC86

Dual-eye 4K Intelligent Tracking Camera for Medium and Large Rooms
















Auto Framing

Tracking

Presenter Tracking

Audio Scalability

Dual-Camera System

Yealink



YEALINK NETWORK TECHNOLOGY CO., LTD.

Email: ucinfo@yealink.com | Web: www.yealink.com