



Music Therapy & Paediatric Palliative Care.

Great state. Great opportunity.

Angela Delaney
Dr Anthony Herbert




Music therapy & paediatric palliative care:

the effect of music therapy on perceived pain and memory making for children with life-limiting illness and their families.



Music Therapy within PPCS



Why Music Therapy....

**'In the event of acute deterioration, supportive care should be provided with priority given to comfort and relief of distressing symptoms. This should include pain relief, seizure management and sedation as is clinically appropriate. This also includes the provision of privacy with emotional, spiritual and cultural support as required'.
(PARP)**

A treble clef is positioned on the left side of a musical staff. The staff consists of five horizontal lines. Numerous water droplets of varying sizes are scattered across the lines and spaces of the staff, creating a visual metaphor for the text. The background is a light, hazy blue.

Evidence of Effectiveness.

**‘How people die remains in the
memory of those who live on’**

Dame Cicely Saunders

Music Therapy EB Indicators for Intervention:




Explore.....

Does music therapy effect the level of perceived pain in children and young people with life limiting illness?

Does music therapy contribute to quality of life through meaning and memory making for the families of children with life-limiting illness?

Music Therapy Model



Methods

Pilot Study

Mixed methods – exploratory design

Settings & Participants

Registered with PPCS



Methods


Data Collection & Interviews

Analysis



Results

Service Settings





Reference List

- Amadoru, S., McFerran K. The role of music therapy in children's hospices. *Eur J Palliative Care*, 2007 14(3) 124-127.
- American Academy of Pediatrics. (2000). "Committee on Hospital Care. Child life services". *Pediatrics*. 106 (5) (pp 1156-1159).
- Chang, V. T., B. Sorger, et al. (2007). "Pain and palliative medicine." *Journal of Rehabilitation Research & Development* 44(2): 279-294.
- Creswell, J. (2007). *Qualitative inquiry and research design: Choosing among five approaches* (2nd ed.) SAGE
- Crozier F, Hancock LE. Paediatric Palliative Care: Beyond the End of Life. *Paediatric Nursing*, 2012; 38 (198-203).
- Dawson, S. and J. Barker (1995). "Hospice and palliative care: A Delphi survey of occupational therapists' roles and training needs". *Australian Occupational Therapy Journal* 42(3): 119-127.
- Gallagher, L., Lagman, R., Walsh, D., Davis, M., Legrand, S. (2006). The clinical effects of music therapy in palliative medicine. *Support Cancer Care*. 14 (8) 859-866. doi:
- Hartling, L., Newton, A., Liang, Y., Hewson, K., Klassen T., Curtis, S. (2013). Music to reduce pain and distress in the paediatric emergency department. A randomised clinical trial. *JAMA Pediatric*. 167 (9). 826-835. doi:10.1001/jamapediatrics.2013.200
- Hongo, T., Watanabe, C., Okada, S., Inoue, N., Yajima, S., Fujii, Y. and Ohzeki, T. (2003). "Analysis of the circumstances at the end of life in children with cancer: Symptoms, suffering acceptance. *Pediatric International*. 45: 60-64.
- [Horne-Thompson A1](#), [Grocke D](#). (2008). The effect of music therapy on anxiety in patients who are terminally ill. *J Palliat Med*. May;11(4) 582-90. doi: 10.1089/jpm.2007.0193.
- Knapp C, Madden V, Wang H, Curtis C, Sloyer P, Shenkman E. , (2009) Music therapy in an integrated paediatric palliative care program. *Am J of Palliat Med* 14 (3) 124-127
- Krout R. A synerdisciplinary music therapy treatment team approach for hospice and palliative care. *Australian Journal of Music Therapy* 2004; 15: 33-45.
- Lincoln, Guba 1990 (no 44 on JOK article)
- Foster TL. Paediatric palliative care revisited. *Journal of Hospice and Nursing*, 2007; 9 (4), 212-219
- Sheridan, J. and McFerran, K. (2004). "Exploring the value of opportunities for choice and control in music therapy within paediatric hospital setting". *Australian Jnl of Music Therapy*, 15: 18-32.
- Swedberg Yinger, O., Gooding, L., (2015). A systematic review of music based interventions for procedural support. *Journal of Music Therapy* doi: 10.1093/jmt/thv004
- Paediatric patients' distress and coping during medical treatment: a self report measure
Arch. Dis. Child. 1999;81:6 525-527
OBSRVATIONAL SCALE OF DISTRESS REVISED

O'Callaghan C. & Barry P. Music therapists practice-based research in cancer and palliative care: creative methods and situated findings. *Voices*, 2009; 9 (3).

Theunissen, J. M., P. M. Hoogerbrugge, P.M., van Achterber, T., Prins, J.B. et al. (2007). "Symptoms in the palliative phase of children with cancer." *Pediatric Blood and Cancer*. 49(2): 160-165

Hennemann-Krause, et al (2014) The assessment of telemedicine to support outpatient palliative care in advanced cancer. *Palliative & Supportive Care*. 1-6

JMT Ed (2012). Gratitude for a complex Profession: The Importance of Theory-Based Research in Music Therapy. *JMT* 49 (1) 206.

Loewy, J.V. Debating Evidence based strategies and outcomes. *Music & Medicine*, 2009; (2), 81-85

Wong DL & Baker CM. Smiling faces as anchor for pain intensity scales. *Pain*, 2001; 89 (2-3) 295-300.

Department of Health and Aging. *Paediatric Palliative Care*. Canberra: Australian Government, 2004; 1-8.

www.health.qld.gov.au/cpre

Contact Details

Angela Delaney

CHQ Music Therapist

angela.delaney@health.qld.gov.au

Dr Anthony Herbert

Director of Paediatric Palliative Care

anthony.herbert@health.qld.gov.au