

smarthealthcheck

# Can Smartphone-Based Logging Support Diabetologists in Solving Glycemic Control Problems?

Martin TIEFENGRABNER, Michael DOMHARDT, Gertie J. OOSTINGH, Karin SCHWENOHA  
Thomas STÜTZ, Raimund WEITGASSER and Simon W. GINZINGER

Contact

[simon.ginzinger@fh-salzburg.ac.at](mailto:simon.ginzinger@fh-salzburg.ac.at)




**Fachhochschule  
Salzburg** University  
of Applied Sciences



Funded by

**FFG**

# STUDY-DESIGN




Can Smartphone-Based Logging Support Diabetologists in Solving Glycemic Control Problems?



Fachhochschule Salzburg University of Applied Sciences



# SETUP



smarthealthcheck

Can Smartphone-Based Logging Support Diabetologists in Solving Glycemic Control Problems?



Fachhochschule Salzburg University of Applied Sciences



# WEBVIEW (PHYSICIAN)



smarthealthcheck

Can Smartphone-Based Logging Support Diabetologists in Solving Glycemic Control Problems?



Fachhochschule  
Salzburg University  
of Applied Sciences



# RESULTS

» A different basal rate should be used on days without physical activity. Bolus reduction at meals should be performed if subsequent physical activity is planned. No correction with insulin should be performed in advance to physical activity if the blood glucose is below 200 mg/dl. «




smarthealthcheck

Can Smartphone-Based Logging Support Diabetologists in Solving Glycemic Control Problems?



Fachhochschule  
Salzburg University  
of Applied Sciences





smarthealthcheck

# Can Smartphone-Based Logging Support Diabetologists in Solving Glycemic Control Problems?

Martin TIEFENGRABNER, Michael DOMHARDT, Gertie J. OOSTINGH, Karin SCHWENOHA  
Thomas STÜTZ, Raimund WEITGASSER and Simon W. GINZINGER

Contact

[simon.ginzinger@fh-salzburg.ac.at](mailto:simon.ginzinger@fh-salzburg.ac.at)



**Fachhochschule  
Salzburg** University  
of Applied Sciences



Funded by

**FFG**